

BACORI®



BACORI®

Fire Place

**Wood Fired stove / fire place***Detailed Product Description*

<b>Heating area</b>	<b>20-80m<sup>2</sup></b>
<b>Model</b>	<b>Size</b>
Length	600mm
Width	520mm
Height	900mm
Glass	410*330mm
Chimney diameter	150mm
Weight	180kg



<b>Heating area</b>	<b>120-150m<sup>2</sup></b>
<b>Model</b>	<b>Size</b>
Length	800mm
Width	520mm
Height	900mm
Glass	610*330mm
Chimney diameter	150mm
Weight	220kg



<b>Heating area</b>	<b>80-120m<sup>2</sup></b>
<b>Model</b>	<b>Size</b>
Length	700mm
Width	520mm
Height	900mm
Glass	510*330mm
Chimney diameter	150mm
Weight	200kg



<b>Heating area</b>	<b>150-200m<sup>2</sup></b>
<b>Model</b>	<b>Size</b>
Length	900mm
Width	520mm
Height	900mm
Glass	710*330mm
Chimney diameter	150mm
Weight	250kg

### Full Screen Wood Fireplace/ Stove

Detailed Product Description



Heating area	80-150m <sup>2</sup>
Model	Size
Length	800mm
Width	520mm
Height	600mm
Glass	797*567mm
Chimney diameter	150mm
Weight	235kg
Base	1200*520*300mm

### Heat Converted Wood fireplace/stove with cooking place

Detailed Product Description



Heating area	15-80m <sup>2</sup>
Model	Size
Length	480mm
Width	330mm
Height	900mm
Glass	370*280mm
Chimney diameter	100mm
Weight	86kg

### Heat Converted Wood fireplace/stove with heat

Detailed Product Description



Heating area	150-200m <sup>2</sup>
Model	Size
Length	900mm
Width	520mm
Height	600mm
Glass	897*567mm
Chimney diameter	150mm250kg
Weight	1300*520*300mm



Heating area	15-80m <sup>2</sup>
Model	Size
Length	510mm
Width	400mm
Height	900mm
Glass	460*300mm
Chimney diameter	100mm
Weight	95kg

## Heat Convection Wood Fireplace

Detailed Product Description



<i>Heating area</i>	<i>80-150m<sup>2</sup></i>
<i>Model</i>	<i>Size</i>
Length	790mm
Width	520mm
Height	900mm
Glass	520*330mm
Chimney diameter	150mm
Weight	200kg

## Wood & Pellet combined Fireplace

Detailed Product Description



<i>Heating area</i>	<i>20-150m<sup>2</sup></i>
<i>Model</i>	<i>Size</i>
Length	880mm
Width	800mm
Height	1170mm
Glass	520*330mm
Chimney diameter	150mm
Weight	232kg



<i>Heating area</i>	<i>80-150m<sup>2</sup></i>
<i>Model</i>	<i>Size</i>
Length	880mm
Width	520mm
Height	900mm
Glass	650*330mm
Chimney diameter	150mm
Weight	250kg

## Wood log Fireplace

Detailed Product Description



<i>Heating area</i>	<i>20-80m<sup>2</sup></i>
<i>Model</i>	<i>Size</i>
Diameter	500mm
Width	1100mm
Glass	418*510mm
Chimney diameter	100mm
Weight	136kg

### Water Heating Wood Fireplace

Detailed Product Description



<i>Heating area Model</i>	<i>80-150m<sup>2</sup> Size</i>
Length	790mm
Width	500mm
Height	900mm
Glass	520*330mm
Chimney diameter	150mm
Weight	220kg



<i>Heating area Model</i>	<i>150-200m<sup>2</sup> Size</i>
Length	880mm
Width	500mm
Height	900mm
Glass	650*330mm
Chimney diameter	150mm
Weight	270kg

### Four-sided Viewing Water Heating Fireplace

Detailed Product Description



<i>Heating area Model</i>	<i>80-150m<sup>2</sup> Size</i>
Length	740mm
Width	740mm
Height	700mm
Glass	458*336mm
Chimney diameter	150mm
Weight	240kg
Base	600~600*540mm

### Heat Converted Wood fireplace/stove with heat

Detailed Product Description



<i>Heating area Model</i>	<i>80-150m<sup>2</sup> Size</i>
Length	740mm
Width	740mm
Height	1210mm
Glass	458*336mm
Chimney diameter	150mm
Weight	247kg

## Automatic Wood Burning Fireplace

Detailed Product Description



<b>Heating area</b>	<b>20-80m<sup>2</sup></b>
<b>Model</b>	<b>Size</b>
Length	400mm
Width	400mm
Height	1520mm
Glass	593*315mm
Weight	80kg

## Four-Sided Viewing Pellet Fireplace

Detailed Product Description



<b>Heating area</b>	<b>80-120m<sup>2</sup></b>
<b>Model</b>	<b>Size</b>
Length	700mm
Width	700mm
Height	1010mm
Glass	700*567mm
Chimney diameter	120mm
Weight	266kg

## Sliding Door Wood Burning Fireplace

Detailed Product Description



<b>Heating area</b>	<b>150-200m<sup>2</sup></b>
<b>Model</b>	<b>Size</b>
Length	9000mm
Width	550mm
Height	1660mm
Glass	716*380mm
Chimney diameter	150mm
Weight	317kg



### CWSN-F300

Detailed Product Description

Model	Size
Power supply	220V 50Hz
Fuel	6–10mm wood pellets
Rated heating capacity	35kw
Heating area	300m2
Thermal efficiency	90%
Power consumption	145w/h
Hopper capacity	30kg
Fuel consumption	2–3kg/h
Packing size	765*580*1045mm
Net weight	180 kg



### CWSN-F60

Detailed Product Description

Model	Size
Power supply	220V 50Hz
Fuel	6–10mm wood pellets
Rated heating capacity	7kw
Heating area	60m2
Thermal efficiency	89%
Power consumption	65w/h
Hopper capacity	13kg
Fuel consumption	0.4–0.8kg/h
Packing size	585*510*795mm
Net weight	65kg



### CWSN-F80

Detailed Product Description

Model	Size
Power supply	220V 50Hz
Fuel	6–10mm wood pellets
Rated heating capacity	9kw
Heating area	80m2
Thermal efficiency	89%
Power consumption	65w/h
Hopper capacity	15kg
Fuel consumption	0.4–0.8kg/h
Packing size	585*510*1045mm
Net weight	105 kg



### CWSN-S80

Detailed Product Description

Model	Size
Power supply	220V 50Hz
Fuel	6–10mm wood pellets
Rated heating capacity	9kw
Heating area	80m2
Thermal efficiency	89%
Power consumption	65w/h
Hopper capacity	15kg
Fuel consumption	0.4–0.8kg/h
Packing size	585*510*830mm
Net weight	105 kg



### CWSN-F100

Detailed Product Description

Model	Size
Power supply	220V 50Hz
Fuel	6–10mm wood pellets
Rated heating capacity	11kw
Heating area	100m <sup>2</sup>
Thermal efficiency	89%
Power consumption	65w/h
Hopper capacity	16kg
Fuel consumption	0.5–1kg/h
Packing size	585*510*1000mm
Net weight	115 kg



### CWSN-F160

Detailed Product Description

Model	Size
Power supply	220V 50Hz
Fuel	6–10mm wood pellets
Rated heating capacity	19kw
Heating area	160m <sup>2</sup>
Thermal efficiency	89%
Power consumption	70w/h
Hopper capacity	20kg
Fuel consumption	1–2kg/h
Packing size	605*570*1045mm
Net weight	155 kg



### CWSN-S100

Detailed Product Description

Model	Size
Power supply	220V 50Hz
Fuel	6–10mm wood pellets
Rated heating capacity	11kw
Heating area	100m <sup>2</sup>
Thermal efficiency	89%
Power consumption	65w/h
Hopper capacity	16kg
Fuel consumption	0.5–1kg/h
Packing size	585*510*1000mm
Net weight	155kg



### CWSN-S160

Detailed Product Description

Model	Size
Power supply	220V 50Hz
Fuel	6–10mm wood pellets
Rated heating capacity	19kw
Heating area	160m <sup>2</sup>
Thermal efficiency	89%
Power consumption	70w/h
Hopper capacity	20kg
Fuel consumption	1–2kg/h
Packing size	605*570*1045mm
Net weight	155 kg